

1080™ Clean Face Gas Fireplace



fireplace**xtordinair**™

Model 1080 CF

The Model 1080 Clean Face gas fireplace by Fireplace Xtrordinair is exceptional in design and in performance. With advantages not found anywhere else, it's as close to a traditional masonry style fireplace as you can get, but has the latest in modern fire technology. With low Btu's, the 1080 CF is a perfect choice for those who enjoy the aesthetics and comfort provided by a large fire without the excess heat. Other clean face fireplaces are merely decorative with almost all the heat escaping up the chimney. At over 70% efficient, the "Heater Rated" 1080 CF delivers the heat output you need in cold weather at the level you need - heat up to 1,000 sq. ft.

Convenient Operation

Our Home Comfort™ Control System gives you thermostatic control at your fingertips from anywhere in the room. The hand-held remote and wireless modulating wall control programs all functions including on/off, room temperature and flame height adjustment. Both the remote and wall mounted controls come standard with the fireplace.



**Thermostatic
Modulating
Remote Control**
Controls ON/OFF,
High/Low Settings
and Room
Temperature.



**Wireless Modulating
Wall Mounted Control**
Controls ON/OFF and
High/Low Settings

Classic Looks

The 1080 CF combines a classic fireplace look with no grills or louvers, and the slim outside trim allows a huge view of the fire (1080 sq. in.). The 1080 CF also allows you the ability to personalize the look of your fireplace with beautiful decorative options including upgradable trim, reversible brick firebacks, high quality andirons and accent lights that allow you the ability to enjoy your fireplace, even when the fire is off.



Your Green Choice In Clean Face Fireplaces

With a Steady State Efficiency of over 70% and the Electronic Gas Valve that allows you to run your fireplace in either "Intermittent Pilot Mode" or "Standing Pilot Mode", the Revolution fireplace makes the ideal choice for those looking for a Green Alternative to other heat and gas wasting Clean Face fireplaces.

Advanced Performance

There's nothing traditional about the 1080's performance. You have the ultimate in variety and control with variable flame regulation and heat output. A large, detailed log set cast from real wood logs and a gorgeous flame simulate a traditional wood fire. The built-in flame control center is completely hidden so your only focus is on the fire.



Extra Room Power Heat Duct Kit

Add heat to an additional room in your home with the optional Extra Room Power Heat Duct Kit. This venting option uses a remote fan to pull heat off the fireplace and deliver it to an adjoining room. You can direct this heat upstairs, downstairs or anywhere in your home within 20 feet of the fireplace.

Personalize Your Fireplace With These Beautiful Options

Ceramic Firebacks

While not required, the 1080 CF fireplace gives you the choice of reversible Weathered Brick or Herringbone Brick firebacks. Or make your fireplace stand out in a crowd with the reversible Diamond Mosaic Tile or Stucco fireback.



Weathered Brick



Herringbone Brick



Diamond Mosaic Tile



Stucco

Andirons

Enhance the look of your 1080 CF fireplace even further with a choice of three optional cast andirons. Andirons feature finely cast detail and attach to the existing grate.



Colonial Andiron



Arabesque Andiron



Wrought Iron Andiron



Accent Light

Add a warm glow to your fireplace even when it's turned off! The accent light adds a glowing backlight behind the flames when the fire is on, and enhances the pattern of



Firescreen

Finish your 1080 installation with a decorative firescreen. The Firescreen features detail legs and handle for a traditional fireplace look. Ideal if you have small children in your home.

Optional Trim Kits

While the 1080 CF comes standard with black trim you have the ability to upgrade the look of your fireplace with a choice of decorative trim packages and easily attach to the face of your fireplace.



Artisan™ Hand-Hammered



Antique Bronze Plated



Antique Nickel Plated

Features:

- No grills for a traditional masonry fireplace look.
- Durable, tempered glass with safety screen. Screen is removable.
- Fire viewing area 1080 sq. in.
- Realistic, four-piece detailed log set with embers and twigs.
- Digital Home Comfort Control System can be operated by the hand-held remote control and the wireless wall control.
- **Operate Your Fireplace Green** - The Electronic Gas Valve can be run for greater efficiency in the "Intermittent Pilot Mode" with the gas pilot turned off until you need it or "Standing Pilot Mode" with the gas pilot always on, for reliable cold weather operation.
- Natural (NG) or Propane (LP) operation.
- Uses Travis Industries 8-5/8" x 6" chimney.
- Seven Year "Real World" Warranty.

Framing Dimensions:

See Installation Manual or visit www.fireplacex.com under Model 1080

1. **Hearth Requirements:** Extends 10" from face and 49 1/2" wide when installed flush. Not required when raised 6" (See Installation Manual or www.fireplacex.com for details)
2. **Non-combustible facing** - Min. 49 1/2" x 56" H Typically 50 1/2" W x 56 1/2" H.
3. **Side Wall Clearance:** 11"
4. **Mantle Clearances:** 50" from base of fireplace. Maximum allowed mantle depth: 12"
5. **Minimum fireplace enclosure height 60".** Measured from base of fireplace.
6. **Minimum framing:** 50" wide x 56 3/4" tall x 25" deep.
7. **Facing Requirements:** Provided fiber board or other non-combustible material must extend from the base of the fireplace to the header and to the framing members on both sides

Dimensions and installation parameters listed here are only general guidelines, please consult the Installation manual for all installation details and requirements.


Tested and Listed by OMNI-Test Laboratories Inc. to ANSI Z21.88b "Vented Gas-Fired Direct Fireplace Heater".

Must be installed in accordance with all local codes, if any; if not, follow ANSI Z223.1 and the requirements listed in the Owner's Manual.

Note: Improper installation of your gas appliance or failure to operate it in accordance to the guidelines detailed in the Owner's Manual may create an unsafe condition and negate your warranty. We recommend all Fireplace Xtordinaire appliances be installed and maintained on an annual basis by your specialty hearth retailer.

Gas Input Rating & Performance:

- **Adjustable High Heat System:**
20,800 – 36,000 Btu's (NG) 23,500 – 36,000 Btu's (LP)
- **Your Green Building Choice:**
Steady State Efficiency up to 74%
- **Heater Rated Fireplace:** Heats up to 1,000 sq. ft.*
*Heating capacity will vary depending on the temperature zone you live in.



Your Specialty Hearth Design Center:



Visit us online: www.fireplacex.com